

DEXTER LIFTS

Excellence at Heights

DEXTER 12A



Dexter lifts have been manufactured in Finland for almost 40 years

Dexter trailer lifts are suitable for a wide range of applications. The small total weight and large reaches allow it to be used even in demanding places. Four independently adjustable support legs make it easier to level the lift, even on uneven and sloping surfaces. Continuous boom rotation and standard drive provide access to tight spaces. Thanks to the strong and sturdy frame, towing the lift is effortless and the long distances between work sites are not a problem.

All Dexter lifts are made of high-strength steel at our own factory in Nokia and are light but sturdy in relation to their lifting height. The products are designed for demanding operating conditions, with the goal of operational reliability and operational safety in particular. All crane service points are easily accessible and the joints are equipped with lubrication nipples. All components prone to damage are protected by metal guards.



12A

The smallest lift in our model range is suitable for applications where high working height is not required, but lightness and compact size. However, the 12A offers a fair side reach and, thanks to its light weight, can be pulled even by a medium-sized car.



MAX WORKING HEIGHT
11,9 m



MAX PLATFORM HEIGHT
9,9 m



OUTREACH
5,0 m / 215 kg



WORKING WIDTH
3,6 m



MAX LOAD
215 kg / 2 people



PLATFORM SIZE (l x w x h)
0,8 m x 1,25 m x 1,1m



PLATFORM ROTATION
+/-40°



BOOM ROTATION
continuous



BOOM CONTROL
2-speed



MACHINE LENGTH
6,7 m



MACHINE WIDTH
1,58 m



MACHINE HEIGHT
2,1 m



MACHINE WEIGHT
1300 kg



STANDARD POWER SOURCE
230V / 50 Hz / 1,9 kW
electric motor



TRACTION DRIVE
standard



GRADEABILITY
15 %

DEXTER LIFTS

Excellence at Heights



Dexter Lifts Oy
Lehtimäenkatu 1
37150 NOKIA
FINLAND
sales@dexterlifts.com
+358 (0) 44 347 4480
www.dexterlifts.com