


DEXTER LIFTS

Excellence at Heights

NEW!



DEXTER DX800

DEXTER DX800 SOLAR

CHARGES WITH SOLAR ENERGY

**The world's first with solar energy
rechargeable personal lift!**

NEW DX800 SOLAR

We have developed a completely new multipurpose scissor lift. The DX800 Solar is very off-road, combined with various chassis options.

The DX800 Solar model series includes the DX800 Skyman™ (towable), Track (tracked) and 4WD (four-wheel drive with rubber tires).

The new electronic stepless control makes using the lift very pleasant and safe. The lift is equipped with automatically leveling support legs, which makes it easier and faster to use the lift. After use, the support legs of the lift can be automatically returned to the transport position by pressing a button. The support legs are designed so that they can be used to level the lift on very inclined platforms, such as driving ramps.

The standard equipment and the machine's compact size enable access to tight spaces. With the help of removable railings, the machine can be driven in even through low doors.

The DX800 is available in fully electric, mains and battery versions. The lift is also available in a full-hybrid version with mains power, internal combustion engine and battery operation.



DX800 SOLAR

The new DX 800 Solar opens up new possibilities for the use of scissor lifts. The DX800 models are suitable for places with difficult access, tight spaces and very steep slopes. The optional solar panel enables the batteries to be charged even without mains electricity.



MAX WORKING HEIGHT

8,00 m



MAX PLATFORM HEIGHT

6,00 m



OUTREACH

0,85 m



WORKING WIDTH

1,52 m



MAX LOAD

300 kg



PLATFORM SIZE (l x w x h)

2,2 m x 1,4 m x 1,1 m (Skyman)



PLATFORM CONTROL

proportional electric control



MACHINE LENGTH

4,15 m (Skyman)
2,72–3,10 m (Track/4WD)



MACHINE WIDTH

1,40 m (Skyman)
1,00 m (Track/4WD)



MACHINE HEIGHT

2,3 m (wo rails 1,45 m) (Skyman)
2,29 m (wo rails 1,42 m) (Track)



MACHINE WEIGHT

1 465 kg (Skyman)



STANDARD POWER SOURCE

230 V / 50 Hz / 1,9 kW



PETROL ENGINE

optional



TRACTION DRIVE

standard



GRADEABILITY

20–35 %

DEXTER LIFTS

Excellence at Heights



Dexter Lifts Oy
Lehtimäenkatu 1
37150 NOKIA
FINLAND
sales@dexterlifts.com
+358 (0) 44 347 4480
www.dexterlifts.com